

TS 309

.A64

Copy 1



*Apollo Iron &
Steel Co.*

APOLLO REFERENCE BOOK

SECOND EDITION


3 3
3 3
3 3
3 3

Copyright 1900 by
Apollo Iron & Steel Company

This shows the manner of stencil
ling Apollo Best Bloom Galvanized

3702
Feb. 9,
1900.

TWO COPIES



TS 329
A 6A

54107

SECOND COPY,

Mar. 22, 1900-10

✓
APOLLO
IRON AND STEEL COMPANY
PITTSBURGH

Manufacturers of
GUARANTEED
GALVANIZED SHEETS



Cold-rolled smooth-finished black sheets

Corrugated sheets, black and galvanized,
plain and painted

Locomotive jacket steel

1847

1847

1847

1847

1847

1847

1847

1847

1847

1847

1847

1847

1847

1847

1847

1847

1847

1847

APOLLO
IRON AND STEEL COMPANY
PITTSBURGH

The top sheet of every bundle of Apollo
Best Bloom Galvanized is stencilled



EVERY SHEET GUARANTEED FOR
ANY DEFECT WHATEVER

STANDARD SIZES

Numbers 14 to 30 inclusive
24, 26, 28, 30 and 36 inches wide
72, 84 and 96 inches long

Extreme sizes upon application

THE NEW YORK PUBLIC LIBRARY

ASTOR LENOX TILDEN FOUNDATION

101
101

THE NEW YORK PUBLIC LIBRARY

ASTOR LENOX TILDEN FOUNDATION

101
101

THE NEW YORK PUBLIC LIBRARY

ASTOR LENOX TILDEN FOUNDATION

101
101

THE NEW YORK PUBLIC LIBRARY

ASTOR LENOX TILDEN FOUNDATION

101
101

APOLLO

IRON AND STEEL COMPANY

PITTSBURGH

Guaranteed galvanized iron price list (adopted July 1st 1893)

| Gauge Number | Weight per square foot (ounces) | Price per pound (cents) |
|-----------------|------------------------------------|----------------------------|
| 10 | 92.5 | 12 |
| 11 | 82.5 | |
| 12 | 72.5 | |
| 13 | 62.5 | |
| 14 | 52.5 | |
| 15 | 47.5 | |
| 16 | 42.5 | 13 |
| 17 | 38.5 | |
| 18 | 34.5 | |
| 19 | 30.5 | |
| 20 | 26.5 | |
| 21 | 24.5 | |
| 22 | 22.5 | 14 |
| 23 | 20.5 | |
| 24 | 18.5 | |
| 25 | 16.5 | 15 |
| 26 | 14.5 | |
| 27 | 13.5 | 16 |
| 28 | 12.5 | 17 |
| 29 | 11.5 | 19 |
| 30 | 10.5 | 21 |

APOLLO

IRON AND STEEL COMPANY

PITTSBURGH

Additional prices on extra sizes of
guaranteed galvanized iron

EXTRA WIDTHS

| Numbers 16, 17 and 18 | Per pound |
|-----------------------------|-----------|
| Over 36 inches to 40 inches | 1 cent |
| Over 40 inches to 44 inches | 1½ cents |
| Over 44 inches to 48 inches | 2½ cents |
| Number 19 and lighter | |
| Less than 24 inches wide | 1 cent |
| Over 32 inches to 36 inches | 1 cent |
| Over 36 inches to 40 inches | 2 cents |
| Over 40 inches to 44 inches | 3 cents |
| Over 44 inches to 48 inches | 5 cents |

EXTRA LENGTHS

| | |
|------------------------|--------|
| Less than 60 inches | ½ cent |
| Longer than 120 inches | 1 cent |

One-half cent per pound additional for Pattern Sheets i. e. for all iron of which every sheet in each bundle is required to be of exact length specified or where iron is ordered in sheets, all of which are required to be of the same length. But iron of any length in bundles, in which one or two sheets of the same number and width but shorter than the full length ordered, are allowed to be put up in each bundle, will be considered ordinary length or merchant iron, and will not be subject to any extra for length.

1872

12th April - Sunday - 1st of Lent

Wednesday 13th

At 10.00 AM. to the Court
and the Court was adjourned

Friday 15th

At 10.00 AM. to the Court

At 10.00 AM. to the Court

At 10.00 AM. to the Court

At 10.00 AM. to the Court

At 10.00 AM. to the Court

At 10.00 AM. to the Court

At 10.00 AM. to the Court

At 10.00 AM. to the Court

At 10.00 AM. to the Court

At 10.00 AM. to the Court

At 10.00 AM. to the Court

At 10.00 AM. to the Court

At 10.00 AM. to the Court

At 10.00 AM. to the Court

At 10.00 AM. to the Court

At 10.00 AM. to the Court

At 10.00 AM. to the Court

At 10.00 AM. to the Court

At 10.00 AM. to the Court

At 10.00 AM. to the Court

APOLLO IRON AND STEEL COMPANY PITTSBURGH



First quality smooth-finished cold-rolled sheets of best grade open hearth soft steel. Guaranteed to double seam without showing fracture.

Sheets Number 19 gauge and lighter, less than 24 inches, and over 32 inches up to 36 inches wide, $\frac{1}{10}$ cent per pound extra.

| | |
|------------------------|--|
| Numbers 14 to 17 | |
| “ 18 to 21 | |
| “ 22 to 24 | |
| “ 25 and 26 | |
| “ 27 | |
| “ 28 | |
| “ 29 | |
| “ 30 | |

Quotations furnished upon application for sheets of special or pattern sizes

THE NEW YORK PUBLIC LIBRARY

ASTEN LENOX TILDEN FOUNDATION



THE NEW YORK PUBLIC LIBRARY
ASTEN LENOX TILDEN FOUNDATION
11298

THE NEW YORK PUBLIC LIBRARY
ASTEN LENOX TILDEN FOUNDATION
11298

THE NEW YORK PUBLIC LIBRARY

ASTEN LENOX TILDEN FOUNDATION

11298

THE NEW YORK PUBLIC LIBRARY

ASTEN LENOX TILDEN FOUNDATION

11298

THE NEW YORK PUBLIC LIBRARY

ASTEN LENOX TILDEN FOUNDATION

11298

APOLLO IRON AND STEEL COMPANY PITTSBURGH



Second quality smooth-finished cold-rolled sheets

Sheets Number 19 gauge and lighter, less than 24 inches, and over 32 inches up to 36 inches wide, $\frac{1}{16}$ cent per pound extra.

| | |
|------------------------|--|
| Numbers 14 to 17 | |
| “ 18 to 21 | |
| “ 22 to 24 | |
| “ 25 and 26 | |
| “ 27 | |
| “ 28 | |
| “ 29 | |
| “ 30 | |

Quotations furnished upon application for sheets of special or pattern sizes

THE UNIVERSITY OF CHICAGO
LIBRARY
CHICAGO, ILL.



[Faint, mostly illegible handwritten text follows, appearing to be a list or index of items.]

APOLLO

IRON AND STEEL COMPANY

PITTSBURGH

Black sheets are rolled to the following
Standard Gauges adopted by Con-
gress and approved March 3rd 1893

| NUMBER OF GAUGE | THICKNESS | | WEIGHT | |
|-----------------------|--|--|---|---|
| | Approximate thickness in fractions of an inch | Approximate thickness in decimal parts of an inch | Weight per square foot in OUNCES avoirdupois | Weight per square foot in POUNDS avoirdupois |
| 10 | 9-64 | .140625 | 90 | 5.625 |
| 11 | 1-8 | .125 | 80 | 5. |
| 12 | 7-64 | .109375 | 70 | 4.375 |
| 13 | 3-32 | .09375 | 60 | 3.75 |
| 14 | 5-64 | .078125 | 50 | 3.125 |
| 15 | 9-128 | .0703125 | 45 | 2.8125 |
| 16 | 1-16 | .0625 | 40 | 2.5 |
| 17 | 9-160 | .05625 | 36 | 2.25 |
| 18 | 1-20 | .05 | 32 | 2. |
| 19 | 7-160 | .04375 | 28 | 1.75 |
| 20 | 3-80 | .0375 | 24 | 1.5 |
| 21 | 11-320 | .034375 | 22 | 1.375 |
| 22 | 1-32 | .03125 | 20 | 1.25 |
| 23 | 9-320 | .028125 | 18 | 1.125 |
| 24 | 1-40 | .025 | 16 | 1. |
| 25 | 7-320 | .021875 | 14 | .875 |
| 26 | 3-160 | .01875 | 12 | .75 |
| 27 | 11-640 | .0171875 | 11 | .6875 |
| 28 | 1-64 | .015625 | 10 | .625 |
| 29 | 9-640 | .0140625 | 9 | .5625 |
| 30 | 1-80 | .0125 | 8 | .5 |
| 31 | 7-640 | .0109375 | 7 | .4375 |
| 32 | 13-1280 | .01015625 | 6½ | .40625 |

A variation of two and one-half per cent.
either way is allowed

UNITED STATES STANDARD GAUGE

FOR SHEET AND PLATE IRON AND STEEL

COPY [Public — Number 137]

An act establishing a standard gauge for sheet and plate iron and steel

Be it enacted by the Senate and House of Representatives of the United States of America in Congress assembled, That for the purpose of securing uniformity the following is established as the only standard gauge for sheet and plate iron and steel in the United States of America, namely:

| Number of gauge | THICKNESS | | WEIGHT | | Number of gauge |
|--------------------|---|--|--|--|--------------------|
| | Approximate thick- ness in fractions of an inch | Approximate thick- ness in decimal parts of an inch | Weight per square foot in OUNCES avoirdupois | Weight per square foot in POUNDS avoirdupois | |
| 0000000 | 1-2 | .5 | 320 | 20. | 0000000 |
| 000000 | 15-32 | .46875 | 300 | 18.75 | 000000 |
| 00000 | 7-16 | .4375 | 280 | 17.5 | 00000 |
| 0000 | 13-32 | .40625 | 260 | 16.25 | 0000 |
| 000 | 3-8 | .375 | 240 | 15. | 000 |
| 00 | 11-32 | .34375 | 220 | 13.75 | 00 |
| 0 | 5-16 | .3125 | 200 | 12.5 | 0 |
| 1 | 9-32 | .28125 | 180 | 11.25 | 1 |
| 2 | 17-64 | .265625 | 170 | 10.625 | 2 |
| 3 | 1-4 | .25 | 160 | 10. | 3 |
| 4 | 15-64 | .234375 | 150 | 9.375 | 4 |
| 5 | 7-32 | .21875 | 140 | 8.75 | 5 |
| 6 | 13-64 | .203125 | 130 | 8.125 | 6 |
| 7 | 3-16 | .1875 | 120 | 7.5 | 7 |
| 8 | 11-64 | .171875 | 110 | 6.875 | 8 |
| 9 | 5-32 | .15625 | 100 | 6.25 | 9 |
| 10 | 9-64 | .140625 | 90 | 5.625 | 10 |
| 11 | 1-8 | .125 | 80 | 5. | 11 |
| 12 | 7-64 | .109375 | 70 | 4.375 | 12 |
| 13 | 3-32 | .09375 | 60 | 3.75 | 13 |
| 14 | 5-64 | .078125 | 50 | 3.125 | 14 |

| Number of gauge | THICKNESS | | WEIGHT | | Number of gauge |
|--------------------|---|--|--|--|--------------------|
| | Approximate thick- ness in fractions of an inch | Approximate thick- ness in decimal parts of an inch | Weight per square foot in OUNCES avoirdupois | Weight per square foot in POUNDS avoirdupois | |
| 15 | 9-128 | .0703125 | 45 | 2.8125 | 15 |
| 16 | 1-16 | .0625 | 40 | 2.5 | 16 |
| 17 | 9-160 | .05625 | 36 | 2.25 | 17 |
| 18 | 1-20 | .05 | 32 | 2. | 18 |
| 19 | 7-160 | .04375 | 28 | 1.75 | 19 |
| 20 | 3-80 | .0375 | 24 | 1.5 | 20 |
| 21 | 11-320 | .034375 | 22 | 1.375 | 21 |
| 22 | 1-32 | .03125 | 20 | 1.25 | 22 |
| 23 | 9-320 | .028125 | 18 | 1.125 | 23 |
| 24 | 1-40 | .025 | 16 | 1. | 24 |
| 25 | 7-320 | .021875 | 14 | .875 | 25 |
| 26 | 3-160 | .01875 | 12 | .75 | 26 |
| 27 | 11-640 | .0171875 | 11 | .6875 | 27 |
| 28 | 1-64 | .015625 | 10 | .625 | 28 |
| 29 | 9-640 | .0140625 | 9 | .5625 | 29 |
| 30 | 1-80 | .0125 | 8 | .5 | 30 |
| 31 | 7-640 | .0109375 | 7 | .4375 | 31 |
| 32 | 13-1280 | .01015625 | 6½ | .40625 | 32 |
| 33 | 3-320 | .009375 | 6 | .375 | 33 |
| 34 | 11-1280 | .00859375 | 5½ | .34375 | 34 |
| 35 | 5-640 | .0078125 | 5 | .3125 | 35 |
| 36 | 9-1280 | .00703125 | 4½ | .28125 | 36 |
| 37 | 17-2560 | .006640625 | 4¼ | .265625 | 37 |
| 38 | 1-160 | .00625 | 4 | .25 | 38 |

And on and after July first, eighteen hundred and ninety three, the same and no other shall be used in determining duties and taxes levied by the United States of America on sheet and plate iron and steel. But this act shall not be construed to increase duties upon any articles which may be imported.

SEC. 2. That the Secretary of the Treasury is authorized and required to prepare suitable standards in accordance herewith.

SEC. 3. That in the practical use and application of the standard gauge hereby established a variation of two and one-half per cent. either way may be allowed.

Approved, March 3, 1893.

NET PRICES OF

| Number of gauge, . | 10 | 11 | 12 | 13 |
|---------------------------|---------------|-------|-------|-------|
| List price per lb. (cts.) | 12 | 12 | 12 | 12 |
| Weight per sq. ft. (oz.) | 92.5 | 82.5 | 72.5 | 62.5 |
| Weight per sq. ft. (lbs.) | 5.781 | 5.156 | 4.531 | 3.906 |
| Discounts (per cent.) | | | | |
| 65-5..... | lb. 3.99 | 3.99 | 3.99 | 3.99 |
| | sq. ft. 23.07 | 20.57 | 18.08 | 15.59 |
| 62½-7½-5.... | lb. 3.95 | 3.95 | 3.95 | 3.95 |
| | sq. ft. 22.84 | 20.37 | 17.90 | 15.43 |
| 67½..... | lb. 3.90 | 3.90 | 3.90 | 3.90 |
| | sq. ft. 22.55 | 20.11 | 17.67 | 15.23 |
| 62½-10-5..... | lb. 3.85 | 3.85 | 3.85 | 3.85 |
| | sq. ft. 22.26 | 19.85 | 17.45 | 15.04 |
| 67½-2½..... | lb. 3.80 | 3.80 | 3.80 | 3.80 |
| | sq. ft. 21.97 | 19.59 | 17.22 | 14.84 |
| 62½-10-5-2½. | lb. 3.75 | 3.75 | 3.75 | 3.75 |
| | sq. ft. 21.68 | 19.34 | 16.99 | 14.65 |
| 65-5-5-2..... | lb. 3.71 | 3.71 | 3.71 | 3.71 |
| | sq. ft. 21.45 | 19.13 | 16.81 | 14.49 |
| 67½-5..... | lb. 3.71 | 3.71 | 3.71 | 3.71 |
| | sq. ft. 21.45 | 19.13 | 16.81 | 14.49 |
| 65-12½..... | lb. 3.68 | 3.68 | 3.68 | 3.68 |
| | sq. ft. 21.27 | 18.97 | 16.67 | 14.37 |
| 67½-5-2..... | lb. 3.63 | 3.63 | 3.63 | 3.63 |
| | sq. ft. 20.99 | 18.72 | 16.45 | 14.18 |
| 70..... | lb. 3.60 | 3.60 | 3.60 | 3.60 |
| | sq. ft. 20.81 | 18.56 | 16.31 | 14.00 |
| 62½-10-10-2.. | lb. 3.57 | 3.57 | 3.57 | 3.57 |
| | sq. ft. 20.64 | 18.41 | 16.18 | 13.95 |
| 62½-10-10-2½ | lb. 3.55 | 3.55 | 3.55 | 3.55 |
| | sq. ft. 20.55 | 18.30 | 16.09 | 13.87 |
| 70-2..... | lb. 3.53 | 3.53 | 3.53 | 3.53 |
| | sq. ft. 20.41 | 18.20 | 16.00 | 13.79 |
| 70-2½..... | lb. 3.51 | 3.51 | 3.51 | 3.51 |
| | sq. ft. 20.29 | 18.10 | 15.90 | 13.71 |
| 70-2-2..... | lb. 3.46 | 3.46 | 3.46 | 3.46 |
| | sq. ft. 20.00 | 17.84 | 15.68 | 13.55 |
| 70-2½-2..... | lb. 3.44 | 3.44 | 3.44 | 3.44 |
| | sq. ft. 19.89 | 17.74 | 15.59 | 13.44 |
| 70-5..... | lb. 3.42 | 3.42 | 3.42 | 3.42 |
| | sq. ft. 19.77 | 17.63 | 15.50 | 13.36 |
| 65-12½-7½... | lb. 3.40 | 3.40 | 3.40 | 3.40 |
| | sq. ft. 19.66 | 17.53 | 15.41 | 13.28 |
| 70-5-2..... | lb. 3.35 | 3.35 | 3.35 | 3.35 |
| | sq. ft. 19.37 | 17.27 | 15.18 | 13.09 |

GALVANIZED SHEETS (cents)

(See next page for gauges 21 to 30)

| 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|-------|-------|-------|-------|-------|-------|-------|
| 12 | 12 | 12 | 13 | 13 | 13 | 13 |
| 52.5 | 47.5 | 42.5 | 38.5 | 34.5 | 30.5 | 26.5 |
| 3.281 | 2.969 | 2.656 | 2.406 | 2.156 | 1.906 | 1.656 |
| <hr/> | | | | | | |
| 3.99 | 3.99 | 3.99 | 4.32 | 4.32 | 4.32 | 4.32 |
| 13.09 | 11.85 | 10.60 | 10.40 | 9.31 | 8.23 | 7.15 |
| 3.95 | 3.95 | 3.95 | 4.28 | 4.28 | 4.28 | 4.28 |
| 12.96 | 11.73 | 10.49 | 10.30 | 9.23 | 8.16 | 7.09 |
| 3.90 | 3.90 | 3.90 | 4.23 | 4.23 | 4.23 | 4.23 |
| 12.80 | 11.58 | 10.36 | 10.18 | 9.12 | 8.06 | 7.01 |
| 3.85 | 3.85 | 3.85 | 4.17 | 4.17 | 4.17 | 4.17 |
| 12.63 | 11.43 | 10.23 | 10.03 | 8.99 | 7.95 | 6.91 |
| 3.80 | 3.80 | 3.80 | 4.12 | 4.12 | 4.12 | 4.12 |
| 12.47 | 11.28 | 10.09 | 9.91 | 8.88 | 7.85 | 6.82 |
| 3.75 | 3.75 | 3.75 | 4.06 | 4.06 | 4.06 | 4.06 |
| 12.30 | 11.13 | 9.96 | 9.77 | 8.75 | 7.74 | 6.72 |
| 3.71 | 3.71 | 3.71 | 4.02 | 4.02 | 4.02 | 4.02 |
| 12.17 | 11.01 | 9.85 | 9.67 | 8.67 | 7.66 | 6.66 |
| 3.71 | 3.71 | 3.71 | 4.01 | 4.01 | 4.01 | 4.01 |
| 12.17 | 11.01 | 9.85 | 9.65 | 8.65 | 7.64 | 6.64 |
| 3.68 | 3.68 | 3.68 | 3.98 | 3.98 | 3.98 | 3.98 |
| 12.07 | 10.92 | 9.77 | 9.58 | 8.58 | 7.59 | 6.59 |
| 3.63 | 3.63 | 3.63 | 3.93 | 3.93 | 3.93 | 3.93 |
| 11.91 | 10.78 | 9.64 | 9.46 | 8.47 | 7.49 | 6.51 |
| 3.60 | 3.60 | 3.60 | 3.90 | 3.90 | 3.90 | 3.90 |
| 11.81 | 10.69 | 9.56 | 9.38 | 8.41 | 7.43 | 6.46 |
| 3.57 | 3.57 | 3.57 | 3.87 | 3.87 | 3.87 | 3.87 |
| 11.71 | 10.60 | 9.48 | 9.31 | 8.34 | 7.38 | 6.41 |
| 3.55 | 3.55 | 3.55 | 3.85 | 3.85 | 3.85 | 3.85 |
| 11.65 | 10.54 | 9.43 | 9.26 | 8.30 | 7.34 | 6.38 |
| 3.53 | 3.53 | 3.53 | 3.82 | 3.82 | 3.82 | 3.82 |
| 11.58 | 10.48 | 9.38 | 9.19 | 8.24 | 7.28 | 6.33 |
| 3.51 | 3.51 | 3.51 | 3.80 | 3.80 | 3.80 | 3.80 |
| 11.52 | 10.42 | 9.32 | 9.14 | 8.19 | 7.24 | 6.29 |
| 3.46 | 3.46 | 3.46 | 3.75 | 3.75 | 3.75 | 3.75 |
| 11.35 | 10.27 | 9.19 | 9.02 | 8.09 | 7.15 | 6.21 |
| 3.44 | 3.44 | 3.44 | 3.72 | 3.72 | 3.72 | 3.72 |
| 11.29 | 10.21 | 9.14 | 8.95 | 8.02 | 7.09 | 6.16 |
| 3.42 | 3.42 | 3.42 | 3.71 | 3.71 | 3.71 | 3.71 |
| 11.22 | 10.15 | 9.08 | 8.93 | 8.00 | 7.07 | 6.14 |
| 3.40 | 3.40 | 3.40 | 3.68 | 3.68 | 3.68 | 3.68 |
| 11.16 | 10.09 | 9.03 | 8.85 | 7.93 | 7.01 | 6.09 |
| 3.35 | 3.35 | 3.35 | 3.63 | 3.63 | 3.63 | 3.63 |
| 10.99 | 9.95 | 8.90 | 8.73 | 7.83 | 6.92 | 6.01 |

NET PRICES OF

| Number of gauge..... | 21 | 22 | 23 |
|-------------------------------|-------------|-------------|-------------|
| List price per pound (cents) | 13 | 14 | 14 |
| Weight per square foot (oz.) | 24.5 | 22.5 | 20.5 |
| Weight per square foot (lbs.) | 1.531 | 1.406 | 1.281 |
| Discounts (per cent.) | | | |
| 65-5..... | 4.32 | 4.66 | 4.66 |
| 65-5..... | 6.61 | 6.55 | 5.97 |
| 62½-7½-5..... | 4.28 | 4.61 | 4.61 |
| 62½-7½-5..... | 6.55 | 6.48 | 5.91 |
| 67½..... | 4.23 | 4.55 | 4.55 |
| 67½..... | 6.48 | 6.40 | 5.83 |
| 62½-10-5..... | 4.17 | 4.49 | 4.49 |
| 62½-10-5..... | 6.39 | 6.31 | 5.75 |
| 67½-2½..... | 4.12 | 4.44 | 4.44 |
| 67½-2½..... | 6.31 | 6.24 | 5.69 |
| 62½-10-5-2½..... | 4.06 | 4.38 | 4.38 |
| 62½-10-5-2½..... | 6.22 | 6.16 | 5.61 |
| 65-5-5-2..... | 4.02 | 4.33 | 4.33 |
| 65-5-5-2..... | 6.16 | 6.09 | 5.55 |
| 67½-5..... | 4.01 | 4.32 | 4.32 |
| 67½-5..... | 6.14 | 6.07 | 5.53 |
| 65-12½..... | 3.98 | 4.29 | 4.29 |
| 65-12½..... | 6.09 | 6.03 | 5.50 |
| 67½-5-2..... | 3.93 | 4.24 | 4.24 |
| 67½-5-2..... | 6.02 | 5.96 | 5.43 |
| 70..... | 3.90 | 4.20 | 4.20 |
| 70..... | 5.97 | 5.91 | 5.38 |
| 62½-10-10-2..... | 3.87 | 4.17 | 4.17 |
| 62½-10-10-2..... | 5.93 | 5.86 | 5.34 |
| 62½-10-10-2½..... | 3.85 | 4.15 | 4.15 |
| 62½-10-10-2½..... | 5.90 | 5.84 | 5.32 |
| 70-2..... | 3.82 | 4.12 | 4.12 |
| 70-2..... | 5.85 | 5.79 | 5.28 |
| 70-2½..... | 3.80 | 4.10 | 4.10 |
| 70-2½..... | 5.82 | 5.77 | 5.25 |
| 70-2-2..... | 3.75 | 4.03 | 4.03 |
| 70-2-2..... | 5.74 | 5.67 | 5.16 |
| 70-2½-2..... | 3.72 | 4.01 | 4.01 |
| 70-2½-2..... | 5.70 | 5.64 | 5.14 |
| 70-5..... | 3.71 | 3.99 | 3.99 |
| 70-5..... | 5.68 | 5.61 | 5.11 |
| 65-12½-7½..... | 3.68 | 3.97 | 3.97 |
| 65-12½-7½..... | 5.63 | 5.58 | 5.09 |
| 70-5-2..... | 3.63 | 3.91 | 3.91 |
| 70-5-2..... | 5.56 | 5.50 | 5.01 |

GALVANIZED SHEETS (cents)

| 24 14 18.5 1.156 | 25 15 16.5 1.031 | 26 15 14.5 .9062 | 27 16 13.5 .8437 | 28 17 12.5 .7812 | 29 19 11.5 .7187 | 30 21 10.5 .6562 |
|---|---|---|---|---|---|---|
| 4.66 | 4.99 | 4.99 | 5.32 | 5.65 | 6.32 | 6.98 |
| 5.39 | 5.15 | 4.52 | 4.49 | 4.41 | 4.54 | 4.58 |
| 4.61 | 4.94 | 4.94 | 5.27 | 5.60 | 6.26 | 6.92 |
| 5.33 | 5.09 | 4.48 | 4.45 | 4.38 | 4.50 | 4.54 |
| 4.55 | 4.88 | 4.88 | 5.20 | 5.53 | 6.18 | 6.83 |
| 5.26 | 5.03 | 4.42 | 4.39 | 4.32 | 4.44 | 4.48 |
| 4.49 | 4.81 | 4.81 | 5.13 | 5.45 | 6.09 | 6.73 |
| 5.19 | 4.96 | 4.36 | 4.33 | 4.26 | 4.38 | 4.42 |
| 4.44 | 4.75 | 4.75 | 5.07 | 5.39 | 6.02 | 6.65 |
| 5.13 | 4.90 | 4.30 | 4.28 | 4.21 | 4.33 | 4.36 |
| 4.38 | 4.69 | 4.69 | 5.00 | 5.31 | 5.94 | 6.56 |
| 5.06 | 4.84 | 4.25 | 4.22 | 4.15 | 4.27 | 4.31 |
| 4.33 | 4.64 | 4.64 | 4.95 | 5.26 | 5.88 | 6.50 |
| 5.01 | 4.78 | 4.21 | 4.18 | 4.11 | 4.23 | 4.27 |
| 4.32 | 4.63 | 4.63 | 4.94 | 5.25 | 5.87 | 6.48 |
| 4.99 | 4.77 | 4.20 | 4.17 | 4.10 | 4.22 | 4.25 |
| 4.29 | 4.59 | 4.59 | 4.90 | 5.21 | 5.82 | 6.43 |
| 4.96 | 4.73 | 4.16 | 4.13 | 4.07 | 4.18 | 4.22 |
| 4.24 | 4.54 | 4.54 | 4.84 | 5.14 | 5.75 | 6.35 |
| 4.90 | 4.68 | 4.11 | 4.08 | 4.02 | 4.13 | 4.17 |
| 4.20 | 4.50 | 4.50 | 4.80 | 5.10 | 5.70 | 6.30 |
| 4.86 | 4.64 | 4.08 | 4.05 | 3.98 | 4.10 | 4.13 |
| 4.17 | 4.47 | 4.47 | 4.76 | 5.06 | 5.66 | 6.25 |
| 4.82 | 4.61 | 4.05 | 4.02 | 3.95 | 4.07 | 4.10 |
| 4.15 | 4.44 | 4.44 | 4.74 | 5.03 | 5.63 | 6.22 |
| 4.80 | 4.58 | 4.02 | 4.00 | 3.93 | 4.05 | 4.08 |
| 4.12 | 4.41 | 4.41 | 4.70 | 5.00 | 5.59 | 6.17 |
| 4.76 | 4.55 | 4.00 | 3.97 | 3.91 | 4.02 | 4.05 |
| 4.10 | 4.39 | 4.39 | 4.68 | 4.97 | 5.56 | 6.14 |
| 4.74 | 4.53 | 3.98 | 3.95 | 3.88 | 4.00 | 4.03 |
| 4.03 | 4.32 | 4.32 | 4.61 | 4.90 | 5.47 | 6.05 |
| 4.66 | 4.45 | 3.91 | 3.89 | 3.83 | 3.93 | 3.97 |
| 4.01 | 4.30 | 4.30 | 4.59 | 4.87 | 5.45 | 6.02 |
| 4.64 | 4.43 | 3.90 | 3.87 | 3.80 | 3.92 | 3.95 |
| 3.99 | 4.28 | 4.28 | 4.56 | 4.85 | 5.42 | 5.99 |
| 4.61 | 4.41 | 3.88 | 3.85 | 3.79 | 3.90 | 3.93 |
| 3.97 | 4.25 | 4.25 | 4.53 | 4.82 | 5.38 | 5.95 |
| 4.59 | 4.38 | 3.85 | 3.82 | 3.77 | 3.87 | 3.90 |
| 3.91 | 4.19 | 4.19 | 4.47 | 4.75 | 5.31 | 5.87 |
| 4.52 | 4.32 | 3.80 | 3.77 | 3.71 | 3.82 | 3.85 |

NET PRICES OF

| Number of gauge.... | 10 | 11 | 12 | 13 |
|---------------------------|-------|-------|-------|-------|
| List price per lb. (cts.) | 12 | 12 | 12 | 12 |
| Weight per sq. ft. (oz.) | 92.5 | 82.5 | 72.5 | 62.5 |
| Weight per sq. ft. (lbs.) | 5.781 | 5.156 | 4.531 | 3.906 |
| Discounts (per cent.) | | | | |
| 70-5-2½..... { lb. | 3.33 | 3.33 | 3.33 | 3.33 |
| sq. ft. | 19.25 | 17.17 | 15.09 | 13.01 |
| 65-20-2..... { lb. | 3.29 | 3.29 | 3.29 | 3.29 |
| sq. ft. | 19.02 | 16.96 | 14.91 | 12.85 |
| 65-20-2½..... { lb. | 3.28 | 3.28 | 3.28 | 3.28 |
| sq. ft. | 18.96 | 16.91 | 14.86 | 12.81 |
| 70-5-5..... { lb. | 3.25 | 3.25 | 3.25 | 3.25 |
| sq. ft. | 18.79 | 16.76 | 14.73 | 12.70 |
| 70-10..... { lb. | 3.24 | 3.24 | 3.24 | 3.24 |
| sq. ft. | 18.73 | 16.71 | 14.68 | 12.66 |
| 66⅔-15-5..... { lb. | 3.23 | 3.23 | 3.23 | 3.23 |
| sq. ft. | 18.67 | 16.65 | 14.64 | 12.62 |
| 65-15-10..... { lb. | 3.21 | 3.21 | 3.21 | 3.21 |
| sq. ft. | 18.56 | 16.55 | 14.55 | 12.54 |
| 65-20-5..... { lb. | 3.19 | 3.19 | 3.19 | 3.19 |
| sq. ft. | 18.44 | 16.45 | 14.45 | 12.46 |
| 70-5-5-2..... { lb. | 3.18 | 3.18 | 3.18 | 3.18 |
| sq. ft. | 18.38 | 16.40 | 14.41 | 12.42 |
| 70-10-2..... { lb. | 3.18 | 3.18 | 3.18 | 3.18 |
| sq. ft. | 18.38 | 16.40 | 14.41 | 12.42 |
| 70-7½-5..... { lb. | 3.16 | 3.16 | 3.16 | 3.16 |
| sq. ft. | 18.27 | 16.30 | 14.32 | 12.34 |
| 70-10-2½..... { lb. | 3.16 | 3.16 | 3.16 | 3.16 |
| sq. ft. | 18.27 | 16.30 | 14.32 | 12.34 |
| 70-10-3..... { lb. | 3.14 | 3.14 | 3.14 | 3.14 |
| sq. ft. | 18.15 | 16.19 | 14.23 | 12.27 |
| 72½-5..... { lb. | 3.14 | 3.14 | 3.14 | 3.14 |
| sq. ft. | 18.15 | 16.19 | 14.23 | 12.27 |
| 70-10-2-2..... { lb. | 3.11 | 3.11 | 3.11 | 3.11 |
| sq. ft. | 17.98 | 16.04 | 14.09 | 12.15 |
| 70-10-2½-2... { lb. | 3.10 | 3.10 | 3.10 | 3.10 |
| sq. ft. | 17.92 | 15.98 | 14.05 | 12.11 |
| 70-12½-2..... { lb. | 3.09 | 3.09 | 3.09 | 3.09 |
| sq. ft. | 17.86 | 15.93 | 14.00 | 12.07 |
| 70-10-5..... { lb. | 3.08 | 3.08 | 3.08 | 3.08 |
| sq. ft. | 17.81 | 15.88 | 13.96 | 12.03 |
| 72½-5-2..... { lb. | 3.07 | 3.07 | 3.07 | 3.07 |
| sq. ft. | 17.75 | 15.83 | 13.91 | 11.99 |
| 70-15..... { lb. | 3.06 | 3.06 | 3.06 | 3.06 |
| sq. ft. | 17.69 | 15.78 | 13.87 | 11.95 |

GALVANIZED SHEETS (cents)

(See next page for gauges 21 to 30)

| 14 | 15 | 16 | 17 | 18 | 19 | 20 |
|-------|-------|-------|-------|-------|-------|-------|
| 12 | 12 | 12 | 13 | 13 | 13 | 13 |
| 52.5 | 47.5 | 42.5 | 38.5 | 34.5 | 30.5 | 26.5 |
| 3.281 | 2.969 | 2.656 | 2.406 | 2.156 | 1.906 | 1.656 |
| 3.33 | 3.33 | 3.33 | 3.61 | 3.61 | 3.61 | 3.61 |
| 10.93 | 9.89 | 8.85 | 8.69 | 7.78 | 6.88 | 5.98 |
| 3.29 | 3.29 | 3.29 | 3.57 | 3.57 | 3.57 | 3.57 |
| 10.80 | 9.77 | 8.74 | 8.59 | 7.70 | 6.81 | 5.91 |
| 3.28 | 3.28 | 3.28 | 3.55 | 3.55 | 3.55 | 3.55 |
| 10.76 | 9.74 | 8.71 | 8.54 | 7.65 | 6.77 | 5.88 |
| 3.25 | 3.25 | 3.25 | 3.52 | 3.52 | 3.52 | 3.52 |
| 10.66 | 9.65 | 8.63 | 8.47 | 7.59 | 6.71 | 5.83 |
| 3.24 | 3.24 | 3.24 | 3.51 | 3.51 | 3.51 | 3.51 |
| 10.63 | 9.62 | 8.61 | 8.45 | 7.57 | 6.69 | 5.81 |
| 3.23 | 3.23 | 3.23 | 3.50 | 3.50 | 3.50 | 3.50 |
| 10.60 | 9.59 | 8.58 | 8.42 | 7.55 | 6.67 | 5.80 |
| 3.21 | 3.21 | 3.21 | 3.48 | 3.48 | 3.48 | 3.48 |
| 10.53 | 9.53 | 8.53 | 8.37 | 7.50 | 6.63 | 5.76 |
| 3.19 | 3.19 | 3.19 | 3.46 | 3.46 | 3.46 | 3.46 |
| 10.47 | 9.47 | 8.47 | 8.33 | 7.46 | 6.60 | 5.73 |
| 3.18 | 3.18 | 3.18 | 3.45 | 3.45 | 3.45 | 3.45 |
| 10.43 | 9.44 | 8.45 | 8.30 | 7.44 | 6.58 | 5.71 |
| 3.18 | 3.18 | 3.18 | 3.44 | 3.44 | 3.44 | 3.44 |
| 10.43 | 9.44 | 8.45 | 8.28 | 7.42 | 6.56 | 5.70 |
| 3.16 | 3.16 | 3.16 | 3.43 | 3.43 | 3.43 | 3.43 |
| 10.37 | 9.38 | 8.39 | 8.25 | 7.40 | 6.54 | 5.68 |
| 3.16 | 3.16 | 3.16 | 3.42 | 3.42 | 3.42 | 3.42 |
| 10.37 | 9.38 | 8.39 | 8.23 | 7.37 | 6.52 | 5.66 |
| 3.14 | 3.14 | 3.14 | 3.40 | 3.40 | 3.40 | 3.40 |
| 10.30 | 9.32 | 8.34 | 8.18 | 7.33 | 6.48 | 5.63 |
| 3.14 | 3.14 | 3.14 | 3.40 | 3.40 | 3.40 | 3.40 |
| 10.30 | 9.32 | 8.34 | 8.18 | 7.33 | 6.48 | 5.63 |
| 3.11 | 3.11 | 3.11 | 3.37 | 3.37 | 3.37 | 3.37 |
| 10.20 | 9.23 | 8.26 | 8.11 | 7.27 | 6.42 | 5.58 |
| 3.10 | 3.10 | 3.10 | 3.35 | 3.35 | 3.35 | 3.35 |
| 10.17 | 9.20 | 8.23 | 8.06 | 7.22 | 6.39 | 5.55 |
| 3.09 | 3.09 | 3.09 | 3.34 | 3.34 | 3.34 | 3.34 |
| 10.14 | 9.17 | 8.21 | 8.04 | 7.20 | 6.37 | 5.53 |
| 3.08 | 3.08 | 3.08 | 3.33 | 3.33 | 3.33 | 3.33 |
| 10.11 | 9.14 | 8.18 | 8.01 | 7.18 | 6.35 | 5.52 |
| 3.07 | 3.07 | 3.07 | 3.33 | 3.33 | 3.33 | 3.33 |
| 10.07 | 9.11 | 8.15 | 8.01 | 7.18 | 6.35 | 5.52 |
| 3.06 | 3.06 | 3.06 | 3.32 | 3.32 | 3.32 | 3.32 |
| 10.04 | 9.08 | 8.13 | 7.99 | 7.16 | 6.33 | 5.50 |

| Number of gauge..... | 21 | 22 | 23 |
|-------------------------------|-------------|-------------|-------------|
| List price per pound (cents) | 13 | 14 | 14 |
| Weight per square foot (oz.) | 24.5 | 22.5 | 20.5 |
| Weight per square foot (lbs.) | 1.531 | 1.406 | 1.281 |
| Discounts (per cent.) | | | |
| 70-5-2½..... | 3.61 | 3.89 | 3.89 |
| 70-5-2½..... | 5.53 | 5.47 | 4.98 |
| 65-20-2..... | 3.67 | 3.84 | 3.84 |
| 65-20-2..... | 5.47 | 5.40 | 4.92 |
| 65-20-2½..... | 3.55 | 3.82 | 3.82 |
| 65-20-2½..... | 5.44 | 5.37 | 4.89 |
| 70-5-5..... | 3.52 | 3.79 | 3.79 |
| 70-5-5..... | 5.39 | 5.33 | 4.86 |
| 70-10..... | 3.51 | 3.78 | 3.78 |
| 70-10..... | 5.37 | 5.32 | 4.84 |
| 66⅔-15-5..... | 3.50 | 3.77 | 3.77 |
| 66⅔-15-5..... | 5.36 | 5.30 | 4.83 |
| 65-15-10..... | 3.48 | 3.75 | 3.75 |
| 65-15-10..... | 5.33 | 5.27 | 4.80 |
| 65-20-5..... | 3.46 | 3.72 | 3.72 |
| 65-20-5..... | 5.30 | 5.23 | 4.77 |
| 70-5-5-2..... | 3.45 | 3.71 | 3.71 |
| 70-5-5-2..... | 5.28 | 5.22 | 4.75 |
| 70-10-2..... | 3.44 | 3.70 | 3.70 |
| 70-10-2..... | 5.27 | 5.20 | 4.74 |
| 70-7½-5..... | 3.43 | 3.69 | 3.69 |
| 70-7½-5..... | 5.25 | 5.19 | 4.73 |
| 70-10-2½..... | 3.42 | 3.69 | 3.69 |
| 70-10-2½..... | 5.24 | 5.19 | 4.73 |
| 70-10-3..... | 3.40 | 3.67 | 3.67 |
| 70-10-3..... | 5.21 | 5.16 | 4.70 |
| 72½-5..... | 3.40 | 3.66 | 3.66 |
| 72½-5..... | 5.21 | 5.15 | 4.69 |
| 70-10-2-2..... | 3.37 | 3.63 | 3.63 |
| 70-10-2-2..... | 5.16 | 5.10 | 4.65 |
| 70-10-2½-2..... | 3.35 | 3.61 | 3.61 |
| 70-10-2½-2..... | 5.13 | 5.08 | 4.63 |
| 70-12½-2..... | 3.34 | 3.60 | 3.60 |
| 70-12½-2..... | 5.11 | 5.06 | 4.61 |
| 70-10-5..... | 3.33 | 3.59 | 3.59 |
| 70-10-5..... | 5.10 | 5.05 | 4.60 |
| 72½-5-2..... | 3.33 | 3.58 | 3.58 |
| 72½-5-2..... | 5.10 | 5.03 | 4.59 |
| 70-15..... | 3.32 | 3.57 | 3.57 |
| 70-15..... | 5.08 | 5.02 | 4.57 |

GALVANIZED SHEETS (cents)

| 24 | 25 | 26 | 27 | 28 | 29 | 30 |
|-------|-------|-------|-------|-------|-------|-------|
| 14 | 15 | 15 | 16 | 17 | 19 | 21 |
| 18.5 | 16.5 | 14.5 | 13.5 | 12.5 | 11.5 | 10.5 |
| 1.156 | 1.031 | .9062 | .8437 | .7812 | .7187 | .6562 |
| <hr/> | | | | | | |
| 3.89 | 4.17 | 4.17 | 4.45 | 4.72 | 5.28 | 5.84 |
| 4.50 | 4.30 | 3.78 | 3.75 | 3.69 | 3.79 | 3.83 |
| 3.84 | 4.12 | 4.12 | 4.39 | 4.66 | 5.21 | 5.76 |
| 4.44 | 4.25 | 3.73 | 3.70 | 3.64 | 3.74 | 3.78 |
| 3.82 | 4.10 | 4.10 | 4.37 | 4.64 | 5.19 | 5.73 |
| 4.42 | 4.23 | 3.72 | 3.69 | 3.62 | 3.73 | 3.76 |
| 3.79 | 4.06 | 4.06 | 4.33 | 4.60 | 5.14 | 5.69 |
| 4.38 | 4.19 | 3.68 | 3.65 | 3.59 | 3.69 | 3.73 |
| 3.78 | 4.05 | 4.05 | 4.32 | 4.59 | 5.13 | 5.67 |
| 4.37 | 4.18 | 3.67 | 3.64 | 3.59 | 3.69 | 3.72 |
| 3.77 | 4.04 | 4.04 | 4.31 | 4.58 | 5.11 | 5.65 |
| 4.36 | 4.17 | 3.66 | 3.64 | 3.58 | 3.67 | 3.71 |
| 3.75 | 4.02 | 4.02 | 4.28 | 4.55 | 5.09 | 5.62 |
| 4.34 | 4.15 | 3.64 | 3.61 | 3.55 | 3.66 | 3.69 |
| 3.72 | 3.99 | 3.99 | 4.26 | 4.52 | 5.05 | 5.59 |
| 4.30 | 4.11 | 3.62 | 3.59 | 3.53 | 3.63 | 3.67 |
| 3.71 | 3.98 | 3.98 | 4.25 | 4.51 | 5.04 | 5.57 |
| 4.29 | 4.10 | 3.61 | 3.59 | 3.52 | 3.62 | 3.66 |
| 3.70 | 3.97 | 3.97 | 4.23 | 4.50 | 5.03 | 5.56 |
| 4.28 | 4.09 | 3.60 | 3.57 | 3.52 | 3.62 | 3.65 |
| 3.69 | 3.95 | 3.95 | 4.22 | 4.48 | 5.01 | 5.54 |
| 4.27 | 4.07 | 3.58 | 3.56 | 3.50 | 3.60 | 3.64 |
| 3.69 | 3.95 | 3.95 | 4.21 | 4.48 | 5.00 | 5.53 |
| 4.27 | 4.07 | 3.58 | 3.55 | 3.50 | 3.59 | 3.63 |
| 3.67 | 3.93 | 3.93 | 4.19 | 4.45 | 4.98 | 5.50 |
| 4.24 | 4.05 | 3.56 | 3.54 | 3.48 | 3.58 | 3.61 |
| 3.66 | 3.92 | 3.92 | 4.18 | 4.44 | 4.96 | 5.49 |
| 4.23 | 4.04 | 3.55 | 3.53 | 3.47 | 3.56 | 3.60 |
| 3.63 | 3.89 | 3.89 | 4.15 | 4.41 | 4.93 | 5.45 |
| 4.20 | 4.01 | 3.53 | 3.50 | 3.45 | 3.54 | 3.58 |
| 3.61 | 3.87 | 3.87 | 4.13 | 4.39 | 4.90 | 5.42 |
| 4.17 | 3.99 | 3.51 | 3.48 | 3.43 | 3.52 | 3.56 |
| 3.60 | 3.86 | 3.86 | 4.12 | 4.37 | 4.89 | 5.40 |
| 4.16 | 3.98 | 3.50 | 3.48 | 3.41 | 3.51 | 3.54 |
| 3.59 | 3.85 | 3.85 | 4.10 | 4.36 | 4.87 | 5.39 |
| 4.15 | 3.97 | 3.49 | 3.46 | 3.41 | 3.50 | 3.54 |
| 3.58 | 3.84 | 3.84 | 4.10 | 4.35 | 4.86 | 5.38 |
| 4.14 | 3.96 | 3.48 | 3.46 | 3.40 | 3.49 | 3.53 |
| 3.57 | 3.83 | 3.83 | 4.08 | 4.34 | 4.85 | 5.36 |
| 4.13 | 3.95 | 3.47 | 3.44 | 3.39 | 3.49 | 3.52 |

NET PRICES OF

| Number of gauge.... | 10 | 11 | 12 | 13 |
|---------------------------|-------|-------|-------|-------|
| List price per lb. (cts.) | 12 | 12 | 12 | 12 |
| Weight per sq. ft. (oz.) | 92.5 | 82.5 | 72.5 | 62.5 |
| Weight per sq. ft. (lbs.) | 5.781 | 5.156 | 4.531 | 3.906 |
| Discounts (per cent.) | | | | |
| 72½-5-2½..... { lb. | 3.06 | 3.06 | 3.06 | 3.06 |
| sq. ft. | 17.69 | 15.78 | 13.87 | 11.95 |
| 60-20-10-10-2. { lb. | 3.05 | 3.05 | 3.05 | 3.05 |
| sq. ft. | 17.63 | 15.73 | 13.82 | 11.91 |
| 75..... { lb. | 3.00 | 3.00 | 3.00 | 3.00 |
| sq. ft. | 17.34 | 15.47 | 13.59 | 11.72 |
| 72½-10..... { lb. | 2.97 | 2.97 | 2.97 | 2.97 |
| sq. ft. | 17.17 | 15.31 | 13.46 | 11.60 |
| 75-2..... { lb. | 2.94 | 2.94 | 2.94 | 2.94 |
| sq. ft. | 17.00 | 15.16 | 13.32 | 11.48 |
| 75-2½..... { lb. | 2.93 | 2.93 | 2.93 | 2.93 |
| sq. ft. | 16.94 | 15.11 | 13.28 | 11.45 |
| 75-5..... { lb. | 2.85 | 2.85 | 2.85 | 2.85 |
| sq. ft. | 16.48 | 14.70 | 12.91 | 11.13 |
| 75-5-2..... { lb. | 2.79 | 2.79 | 2.79 | 2.79 |
| sq. ft. | 16.13 | 14.39 | 12.64 | 10.90 |
| 75-7½..... { lb. | 2.78 | 2.78 | 2.78 | 2.78 |
| sq. ft. | 16.07 | 14.33 | 12.60 | 10.86 |
| 75-7½-2..... { lb. | 2.72 | 2.72 | 2.72 | 2.72 |
| sq. ft. | 15.72 | 14.02 | 12.32 | 10.62 |
| 75-7½-2½..... { lb. | 2.71 | 2.71 | 2.71 | 2.71 |
| sq. ft. | 15.67 | 13.97 | 12.28 | 10.59 |
| 75-10..... { lb. | 2.70 | 2.70 | 2.70 | 2.70 |
| sq. ft. | 15.61 | 13.92 | 12.23 | 10.55 |
| 75-10-2..... { lb. | 2.65 | 2.65 | 2.65 | 2.65 |
| sq. ft. | 15.32 | 13.66 | 12.01 | 10.35 |
| 75-7½-5..... { lb. | 2.64 | 2.64 | 2.64 | 2.64 |
| sq. ft. | 15.26 | 13.61 | 11.96 | 10.31 |
| 75-7½-5-2.... { lb. | 2.58 | 2.58 | 2.58 | 2.58 |
| sq. ft. | 14.92 | 13.30 | 11.69 | 10.08 |
| 75-10-5..... { lb. | 2.57 | 2.57 | 2.57 | 2.57 |
| sq. ft. | 14.86 | 13.25 | 11.65 | 10.04 |
| 75-10-5-2..... { lb. | 2.51 | 2.51 | 2.51 | 2.51 |
| sq. ft. | 14.51 | 12.94 | 11.37 | 9.80 |
| 75-10-7½..... { lb. | 2.50 | 2.50 | 2.50 | 2.50 |
| sq. ft. | 14.45 | 12.89 | 11.33 | 9.77 |
| 75-10-7½-2... { lb. | 2.45 | 2.45 | 2.45 | 2.45 |
| sq. ft. | 14.16 | 12.63 | 11.10 | 9.57 |
| 75-10-7½-2½. { lb. | 2.44 | 2.44 | 2.44 | 2.44 |
| sq. ft. | 14.11 | 12.58 | 11.06 | 9.53 |

GALVANIZED SHEETS (cents)

(See next page for gauges 21 to 30)

| 14 12 52.5 3.281 | 15 12 47.5 2.969 | 16 12 42.5 2.656 | 17 13 38.5 2.406 | 18 13 34.5 2.156 | 19 13 30.5 1.906 | 20 13 26.5 1.656 |
|---|---|---|---|---|---|---|
| | | | | | | |
| 3.06 10.04 | 3.06 9.08 | 3.06 8.13 | 3.31 7.96 | 3.31 7.14 | 3.31 6.31 | 3.31 5.48 |
| 3.05 10.01 | 3.05 9.05 | 3.05 8.10 | 3.30 7.94 | 3.30 7.12 | 3.30 6.29 | 3.30 5.47 |
| 3.00 9.84 | 3.00 8.91 | 3.00 7.97 | 3.25 7.82 | 3.25 7.01 | 3.25 6.20 | 3.25 5.38 |
| 2.97 9.75 | 2.97 8.82 | 2.97 7.89 | 3.22 7.75 | 3.22 6.94 | 3.22 6.14 | 3.22 5.33 |
| 2.94 9.65 | 2.94 8.73 | 2.94 7.81 | 3.19 7.68 | 3.19 6.88 | 3.19 6.08 | 3.19 5.28 |
| 2.93 9.61 | 2.93 8.70 | 2.93 7.78 | 3.17 7.63 | 3.17 6.84 | 3.17 6.04 | 3.17 5.25 |
| 2.85 9.35 | 2.85 8.46 | 2.85 7.57 | 3.09 7.44 | 3.09 6.66 | 3.09 5.89 | 3.09 5.12 |
| 2.79 9.15 | 2.79 8.28 | 2.79 7.41 | 3.03 7.29 | 3.03 6.53 | 3.03 5.78 | 3.03 5.02 |
| 2.78 9.12 | 2.78 8.25 | 2.78 7.38 | 3.01 7.24 | 3.01 6.49 | 3.01 5.74 | 3.01 4.99 |
| 2.72 8.92 | 2.72 8.07 | 2.72 7.22 | 2.95 7.10 | 2.95 6.36 | 2.95 5.62 | 2.95 4.89 |
| 2.71 8.89 | 2.71 8.05 | 2.71 7.20 | 2.93 7.05 | 2.93 6.32 | 2.93 5.59 | 2.93 4.85 |
| 2.70 8.86 | 2.70 8.02 | 2.70 7.17 | 2.93 7.05 | 2.93 6.32 | 2.93 5.59 | 2.93 4.85 |
| 2.65 8.70 | 2.65 7.87 | 2.65 7.04 | 2.87 6.91 | 2.87 6.19 | 2.87 5.47 | 2.87 4.75 |
| 2.64 8.66 | 2.64 7.84 | 2.64 7.01 | 2.86 6.88 | 2.86 6.17 | 2.86 5.45 | 2.86 4.74 |
| 2.58 8.47 | 2.58 7.66 | 2.58 6.85 | 2.80 6.74 | 2.80 6.04 | 2.80 5.34 | 2.80 4.64 |
| 2.57 8.43 | 2.57 7.63 | 2.57 6.83 | 2.78 6.69 | 2.78 5.99 | 2.78 5.30 | 2.78 4.60 |
| 2.51 8.24 | 2.51 7.45 | 2.51 6.67 | 2.72 6.54 | 2.72 5.86 | 2.72 5.18 | 2.72 4.50 |
| 2.50 8.20 | 2.50 7.42 | 2.50 6.64 | 2.71 6.52 | 2.71 5.84 | 2.71 5.17 | 2.71 4.49 |
| 2.45 8.04 | 2.45 7.27 | 2.45 6.51 | 2.65 6.38 | 2.65 5.71 | 2.65 5.05 | 2.65 4.39 |
| 2.44 8.01 | 2.44 7.24 | 2.44 6.48 | 2.64 6.35 | 2.64 5.69 | 2.64 5.03 | 2.64 4.37 |

NET PRICES OF

| Number of gauge..... | 21 | 22 | 23 |
|-------------------------------|-----------------|-------------|-------------|
| List price per pound (cents) | 13 | 14 | 14 |
| Weight per square foot (oz.) | 24.5 | 22.5 | 20.5 |
| Weight per square foot (lbs.) | 1.531 | 1.406 | 1.281 |
| Discounts (per cent.) | | | |
| 72½-5-2½..... | lb. 3.31 | 3.57 | 3.57 |
| | sq. ft. 5.07 | 5.02 | 4.57 |
| 60-20-10-10-2..... | lb. 3.30 | 3.56 | 3.56 |
| | sq. ft. 5.05 | 5.01 | 4.56 |
| 75..... | lb. 3.25 | 3.50 | 3.50 |
| | sq. ft. 4.98 | 4.92 | 4.48 |
| 72½-10..... | lb. 3.22 | 3.47 | 3.47 |
| | sq. ft. 4.93 | 4.88 | 4.45 |
| 75-2..... | lb. 3.19 | 3.43 | 3.43 |
| | sq. ft. 4.88 | 4.82 | 4.39 |
| 75-2½..... | lb. 3.17 | 3.41 | 3.41 |
| | sq. ft. 4.85 | 4.80 | 4.37 |
| 75-5..... | lb. 3.09 | 3.33 | 3.33 |
| | sq. ft. 4.73 | 4.68 | 4.27 |
| 75-5-2..... | lb. 3.03 | 3.26 | 3.26 |
| | sq. ft. 4.64 | 4.58 | 4.18 |
| 75-7½..... | lb. 3.01 | 3.24 | 3.24 |
| | sq. ft. 4.61 | 4.56 | 4.15 |
| 75-7½-2..... | lb. 2.95 | 3.17 | 3.17 |
| | sq. ft. 4.52 | 4.46 | 4.06 |
| 75-7½-2½..... | lb. 2.93 | 3.16 | 3.16 |
| | sq. ft. 4.49 | 4.44 | 4.05 |
| 75-10..... | lb. 2.93 | 3.15 | 3.15 |
| | sq. ft. 4.49 | 4.43 | 4.04 |
| 75-10-2..... | lb. 2.87 | 3.09 | 3.09 |
| | sq. ft. 4.39 | 4.35 | 3.96 |
| 75-7½-5..... | lb. 2.86 | 3.08 | 3.08 |
| | sq. ft. 4.38 | 4.33 | 3.95 |
| 75-7½-5-2..... | lb. 2.80 | 3.01 | 3.01 |
| | sq. ft. 4.29 | 4.23 | 3.86 |
| 75-10-5..... | lb. 2.78 | 2.99 | 2.99 |
| | sq. ft. 4.26 | 4.20 | 3.83 |
| 75-10-5-2..... | lb. 2.72 | 2.93 | 2.93 |
| | sq. ft. 4.16 | 4.12 | 3.75 |
| 75-10-7½..... | lb. 2.71 | 2.91 | 2.91 |
| | sq. ft. 4.15 | 4.09 | 3.73 |
| 75-10-7½-2..... | lb. 2.65 | 2.86 | 2.86 |
| | sq. ft. 4.06 | 4.02 | 3.66 |
| 75-10-7½-2½..... | lb. 2.64 | 2.84 | 2.84 |
| | sq. ft. 4.04 | 3.99 | 3.64 |

GALVANIZED SHEETS (cents)

| 24 14 18.5 1.156 | 25 15 16.5 1.031 | 26 15 14.5 .9062 | 27 16 13.5 .8437 | 28 17 12.5 .7812 | 29 19 11.5 .7187 | 30 21 10.5 .6562 |
|---|---|---|---|---|---|---|
| 3.57 | 3.82 | 3.82 | 4.08 | 4.33 | 4.84 | 5.35 |
| 4.13 | 3.94 | 3.46 | 3.44 | 3.38 | 3.48 | 3.51 |
| 3.56 | 3.81 | 3.81 | 4.06 | 4.32 | 4.83 | 5.33 |
| 4.12 | 3.93 | 3.45 | 3.43 | 3.37 | 3.47 | 3.50 |
| 3.50 | 3.75 | 3.75 | 4.00 | 4.25 | 4.75 | 5.25 |
| 4.05 | 3.87 | 3.40 | 3.37 | 3.32 | 3.41 | 3.45 |
| 3.47 | 3.71 | 3.71 | 3.96 | 4.21 | 4.70 | 5.20 |
| 4.01 | 3.83 | 3.36 | 3.34 | 3.29 | 3.38 | 3.41 |
| 3.43 | 3.68 | 3.68 | 3.92 | 4.17 | 4.66 | 5.15 |
| 3.97 | 3.79 | 3.33 | 3.31 | 3.26 | 3.35 | 3.38 |
| 3.41 | 3.66 | 3.66 | 3.90 | 4.14 | 4.63 | 5.12 |
| 3.94 | 3.77 | 3.32 | 3.29 | 3.23 | 3.33 | 3.36 |
| 3.33 | 3.56 | 3.56 | 3.80 | 4.04 | 4.51 | 4.99 |
| 3.85 | 3.67 | 3.23 | 3.21 | 3.16 | 3.24 | 3.27 |
| 3.26 | 3.49 | 3.49 | 3.72 | 3.96 | 4.42 | 4.89 |
| 3.77 | 3.60 | 3.16 | 3.14 | 3.09 | 3.18 | 3.21 |
| 3.24 | 3.47 | 3.47 | 3.70 | 3.93 | 4.39 | 4.86 |
| 3.75 | 3.58 | 3.14 | 3.12 | 3.07 | 3.16 | 3.19 |
| 3.17 | 3.40 | 3.40 | 3.63 | 3.85 | 4.31 | 4.76 |
| 3.67 | 3.51 | 3.08 | 3.06 | 3.01 | 3.10 | 3.12 |
| 3.16 | 3.38 | 3.38 | 3.61 | 3.83 | 4.28 | 4.73 |
| 3.65 | 3.49 | 3.06 | 3.05 | 2.99 | 3.08 | 3.10 |
| 3.15 | 3.38 | 3.38 | 3.60 | 3.83 | 4.28 | 4.73 |
| 3.64 | 3.49 | 3.06 | 3.04 | 2.99 | 3.08 | 3.10 |
| 3.09 | 3.31 | 3.31 | 3.53 | 3.75 | 4.19 | 4.63 |
| 3.57 | 3.41 | 3.00 | 2.98 | 2.93 | 3.01 | 3.04 |
| 3.08 | 3.30 | 3.30 | 3.52 | 3.73 | 4.17 | 4.61 |
| 3.56 | 3.40 | 2.99 | 2.97 | 2.91 | 3.00 | 3.03 |
| 3.01 | 3.23 | 3.23 | 3.44 | 3.66 | 4.09 | 4.52 |
| 3.48 | 3.33 | 2.93 | 2.90 | 2.86 | 2.94 | 2.97 |
| 2.99 | 3.21 | 3.21 | 3.42 | 3.63 | 4.06 | 4.49 |
| 3.46 | 3.31 | 2.91 | 2.89 | 2.84 | 2.92 | 2.95 |
| 2.93 | 3.14 | 3.14 | 3.35 | 3.56 | 3.98 | 4.40 |
| 3.39 | 3.24 | 2.85 | 2.83 | 2.78 | 2.86 | 2.89 |
| 2.91 | 3.12 | 3.12 | 3.33 | 3.54 | 3.95 | 4.37 |
| 3.36 | 3.22 | 2.83 | 2.81 | 2.77 | 2.84 | 2.87 |
| 2.86 | 3.06 | 3.06 | 3.26 | 3.47 | 3.88 | 4.28 |
| 3.31 | 3.16 | 2.77 | 2.75 | 2.71 | 2.79 | 2.81 |
| 2.84 | 3.04 | 3.04 | 3.25 | 3.45 | 3.86 | 4.26 |
| 3.28 | 3.13 | 2.75 | 2.74 | 2.70 | 2.77 | 2.80 |

NET PRICES OF

| Number of gauge.... | | 10 | 11 | 12 | 13 |
|---------------------------|---------|-------|-------|-------|-------|
| List price per lb. (cts.) | | 12 | 12 | 12 | 12 |
| Weight per sq. ft. (oz.) | | 92.5 | 82.5 | 72.5 | 62.5 |
| Weight per sq. ft. (lbs.) | | 5.781 | 5.156 | 4.531 | 3.906 |
| Discounts (per cent.) | | | | | |
| 75-10-10..... | lb. | 2.43 | 2.43 | 2.43 | 2.43 |
| | sq. ft. | 14.05 | 12.53 | 11.01 | 9.49 |
| 80..... | lb. | 2.40 | 2.40 | 2.40 | 2.40 |
| | sq. ft. | 13.87 | 12.37 | 10.87 | 9.37 |
| 75-10-10-2.... | lb. | 2.38 | 2.38 | 2.38 | 2.38 |
| | sq. ft. | 13.76 | 12.27 | 10.78 | 9.30 |
| 75-10-10-2½.. | lb. | 2.37 | 2.37 | 2.37 | 2.37 |
| | sq. ft. | 13.70 | 12.22 | 10.74 | 9.26 |
| 80-2..... | lb. | 2.35 | 2.35 | 2.35 | 2.35 |
| | sq. ft. | 13.59 | 12.12 | 10.65 | 9.18 |
| 80-2½..... | lb. | 2.34 | 2.34 | 2.34 | 2.34 |
| | sq. ft. | 13.53 | 12.07 | 10.60 | 9.14 |
| 80-2-2..... | lb. | 2.31 | 2.31 | 2.31 | 2.31 |
| | sq. ft. | 13.35 | 11.91 | 10.46 | 9.02 |
| 80-2½-2..... | lb. | 2.29 | 2.29 | 2.29 | 2.29 |
| | sq. ft. | 13.24 | 11.81 | 10.38 | 8.95 |
| 80-3-2..... | lb. | 2.28 | 2.28 | 2.28 | 2.28 |
| | sq. ft. | 13.18 | 11.76 | 10.33 | 8.91 |
| 80-5..... | lb. | 2.28 | 2.28 | 2.28 | 2.28 |
| | sq. ft. | 13.18 | 11.76 | 10.33 | 8.91 |
| 80-2-2-2..... | lb. | 2.26 | 2.26 | 2.26 | 2.26 |
| | sq. ft. | 13.07 | 11.65 | 10.24 | 8.83 |
| 80-4-2..... | lb. | 2.26 | 2.26 | 2.26 | 2.26 |
| | sq. ft. | 13.07 | 11.65 | 10.24 | 8.83 |
| 80-2½-2-2.... | lb. | 2.25 | 2.25 | 2.25 | 2.25 |
| | sq. ft. | 13.01 | 11.60 | 10.20 | 8.79 |
| 80-5-2..... | lb. | 2.23 | 2.23 | 2.23 | 2.23 |
| | sq. ft. | 12.89 | 11.50 | 10.10 | 8.71 |
| 80-5-2½..... | lb. | 2.22 | 2.22 | 2.22 | 2.22 |
| | sq. ft. | 12.83 | 11.45 | 10.06 | 8.67 |
| 80-7½..... | lb. | 2.22 | 2.22 | 2.22 | 2.22 |
| | sq. ft. | 12.83 | 11.45 | 10.06 | 8.67 |
| 80-5-2-2..... | lb. | 2.19 | 2.19 | 2.19 | 2.19 |
| | sq. ft. | 12.66 | 11.29 | 9.92 | 8.55 |
| 80-5-2½-2.... | lb. | 2.18 | 2.18 | 2.18 | 2.18 |
| | sq. ft. | 12.60 | 11.24 | 9.88 | 8.52 |
| 80-7½-2..... | lb. | 2.18 | 2.18 | 2.18 | 2.18 |
| | sq. ft. | 12.60 | 11.24 | 9.88 | 8.52 |
| 80-7½-2½..... | lb. | 2.16 | 2.16 | 2.16 | 2.16 |
| | sq. ft. | 12.49 | 11.14 | 9.79 | 8.44 |

GALVANIZED SHEETS (cents)

(See next page for gauges 21 to 30)

| 14 12 52.5 3.281 | 15 12 47.5 2.969 | 16 12 42.5 2.656 | 17 13 38.5 2.406 | 18 13 34.5 2.156 | 19 13 30.5 1.906 | 20 13 26.5 1.656 |
|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| 2.43 | 2.43 | 2.43 | 2.63 | 2.63 | 2.63 | 2.63 |
| 7.97 | 7.21 | 6.45 | 6.33 | 5.67 | 5.01 | 4.36 |
| 2.40 | 2.40 | 2.40 | 2.60 | 2.60 | 2.60 | 2.60 |
| 7.87 | 7.12 | 6.37 | 6.26 | 5.61 | 4.96 | 4.31 |
| 2.38 | 2.38 | 2.38 | 2.58 | 2.58 | 2.58 | 2.58 |
| 7.81 | 7.07 | 6.32 | 6.21 | 5.56 | 4.92 | 4.27 |
| 2.37 | 2.37 | 2.37 | 2.57 | 2.57 | 2.57 | 2.57 |
| 7.78 | 7.04 | 6.30 | 6.18 | 5.54 | 4.90 | 4.26 |
| 2.35 | 2.35 | 2.35 | 2.55 | 2.55 | 2.55 | 2.55 |
| 7.71 | 6.98 | 6.24 | 6.14 | 5.50 | 4.86 | 4.22 |
| 2.34 | 2.34 | 2.34 | 2.54 | 2.54 | 2.54 | 2.54 |
| 7.68 | 6.95 | 6.22 | 6.11 | 5.48 | 4.84 | 4.21 |
| 2.31 | 2.31 | 2.31 | 2.50 | 2.50 | 2.50 | 2.50 |
| 7.58 | 6.86 | 6.14 | 6.02 | 5.39 | 4.77 | 4.14 |
| 2.29 | 2.29 | 2.29 | 2.48 | 2.48 | 2.48 | 2.48 |
| 7.51 | 6.80 | 6.08 | 5.97 | 5.35 | 4.73 | 4.11 |
| 2.28 | 2.28 | 2.28 | 2.47 | 2.47 | 2.47 | 2.47 |
| 7.48 | 6.77 | 6.06 | 5.94 | 5.33 | 4.71 | 4.09 |
| 2.28 | 2.28 | 2.28 | 2.47 | 2.47 | 2.47 | 2.47 |
| 7.48 | 6.77 | 6.06 | 5.94 | 5.33 | 4.71 | 4.09 |
| 2.26 | 2.26 | 2.26 | 2.45 | 2.45 | 2.45 | 2.45 |
| 7.42 | 6.71 | 6.00 | 5.90 | 5.28 | 4.67 | 4.06 |
| 2.26 | 2.26 | 2.26 | 2.45 | 2.45 | 2.45 | 2.45 |
| 7.42 | 6.71 | 6.00 | 5.90 | 5.28 | 4.67 | 4.06 |
| 2.25 | 2.25 | 2.25 | 2.43 | 2.43 | 2.43 | 2.43 |
| 7.38 | 6.68 | 5.98 | 5.85 | 5.24 | 4.63 | 4.02 |
| 2.23 | 2.23 | 2.23 | 2.42 | 2.42 | 2.42 | 2.42 |
| 7.32 | 6.62 | 5.92 | 5.82 | 5.22 | 4.61 | 4.01 |
| 2.22 | 2.22 | 2.22 | 2.41 | 2.41 | 2.41 | 2.41 |
| 7.28 | 6.59 | 5.90 | 5.80 | 5.20 | 4.59 | 3.99 |
| 2.22 | 2.22 | 2.22 | 2.41 | 2.41 | 2.41 | 2.41 |
| 7.28 | 6.59 | 5.90 | 5.80 | 5.20 | 4.59 | 3.99 |
| 2.19 | 2.19 | 2.19 | 2.37 | 2.37 | 2.37 | 2.37 |
| 7.19 | 6.50 | 5.82 | 5.70 | 5.11 | 4.52 | 3.93 |
| 2.18 | 2.18 | 2.18 | 2.36 | 2.36 | 2.36 | 2.36 |
| 7.15 | 6.47 | 5.79 | 5.68 | 5.09 | 4.50 | 3.91 |
| 2.18 | 2.18 | 2.18 | 2.36 | 2.36 | 2.36 | 2.36 |
| 7.15 | 6.47 | 5.79 | 5.68 | 5.09 | 4.50 | 3.91 |
| 2.16 | 2.16 | 2.16 | 2.34 | 2.34 | 2.34 | 2.34 |
| 7.09 | 6.41 | 5.74 | 5.63 | 5.05 | 4.46 | 3.88 |

NET PRICES OF

| Number of gauge..... | 21 | 22 | 23 |
|-------------------------------|-----------------|-------------|-------------|
| List price per pound (cents) | 13 | 14 | 14 |
| Weight per square foot (oz.) | 24.5 | 22.5 | 20.5 |
| Weight per square foot (lbs.) | 1.531 | 1.406 | 1.281 |
| Discounts (per cent.) | | | |
| 75-10-10..... | lb. 2.63 | 2.84 | 2.84 |
| | sq. ft. 4.03 | 3.99 | 3.64 |
| 80..... | lb. 2.60 | 2.80 | 2.80 |
| | sq. ft. 3.98 | 3.94 | 3.59 |
| 75-10-10-2..... | lb. 2.58 | 2.78 | 2.78 |
| | sq. ft. 3.95 | 3.91 | 3.56 |
| 75-10-10-2½..... | lb. 2.57 | 2.76 | 2.76 |
| | sq. ft. 3.94 | 3.88 | 3.54 |
| 80-2..... | lb. 2.55 | 2.74 | 2.74 |
| | sq. ft. 3.90 | 3.85 | 3.51 |
| 80-2½..... | lb. 2.54 | 2.73 | 2.73 |
| | sq. ft. 3.89 | 3.84 | 3.50 |
| 80-2-2..... | lb. 2.50 | 2.69 | 2.69 |
| | sq. ft. 3.83 | 3.78 | 3.45 |
| 80-2½-2..... | lb. 2.48 | 2.68 | 2.68 |
| | sq. ft. 3.80 | 3.77 | 3.43 |
| 80-3-2..... | lb. 2.47 | 2.66 | 2.66 |
| | sq. ft. 3.78 | 3.74 | 3.41 |
| 80-5..... | lb. 2.47 | 2.66 | 2.66 |
| | sq. ft. 3.78 | 3.74 | 3.41 |
| 80-2-2-2..... | lb. 2.45 | 2.64 | 2.64 |
| | sq. ft. 3.75 | 3.71 | 3.38 |
| 80-4-2..... | lb. 2.45 | 2.63 | 2.63 |
| | sq. ft. 3.75 | 3.70 | 3.37 |
| 80-2½-2-2..... | lb. 2.43 | 2.62 | 2.62 |
| | sq. ft. 3.72 | 3.68 | 3.36 |
| 80-5-2..... | lb. 2.42 | 2.61 | 2.61 |
| | sq. ft. 3.71 | 3.67 | 3.34 |
| 80-5-2½..... | lb. 2.41 | 2.59 | 2.59 |
| | sq. ft. 3.69 | 3.64 | 3.32 |
| 80-7½..... | lb. 2.41 | 2.59 | 2.59 |
| | sq. ft. 3.69 | 3.64 | 3.32 |
| 80-5-2-2..... | lb. 2.37 | 2.55 | 2.55 |
| | sq. ft. 3.63 | 3.59 | 3.27 |
| 80-5-2½-2..... | lb. 2.36 | 2.54 | 2.54 |
| | sq. ft. 3.61 | 3.57 | 3.25 |
| 80-7½-2..... | lb. 2.36 | 2.54 | 2.54 |
| | sq. ft. 3.61 | 3.57 | 3.25 |
| 80-7½-2½..... | lb. 2.34 | 2.53 | 2.53 |
| | sq. ft. 3.58 | 3.56 | 3.24 |

ALVANIZED SHEETS (cents)

| 24 | 25 | 26 | 27 | 28 | 29 | 30 |
|------|-------|-------|-------|-------|-------|-------|
| 14 | 15 | 15 | 16 | 17 | 19 | 21 |
| 8.5 | 16.5 | 14.5 | 13.5 | 12.5 | 11.5 | 10.5 |
| 156 | 1.031 | .9062 | .8437 | .7812 | .7187 | .6562 |
| 2.84 | 3.04 | 3.04 | 3.24 | 3.44 | 3.85 | 4.25 |
| 3.28 | 3.13 | 2.75 | 2.73 | 2.69 | 2.77 | 2.79 |
| 2.80 | 3.00 | 3.00 | 3.20 | 3.40 | 3.80 | 4.20 |
| 3.24 | 3.09 | 2.72 | 2.70 | 2.66 | 2.73 | 2.76 |
| 2.78 | 2.98 | 2.98 | 3.18 | 3.37 | 3.77 | 4.17 |
| 3.21 | 3.07 | 2.70 | 2.68 | 2.63 | 2.71 | 2.74 |
| 2.76 | 2.96 | 2.96 | 3.16 | 3.36 | 3.75 | 4.15 |
| 3.19 | 3.05 | 2.68 | 2.67 | 2.62 | 2.70 | 2.72 |
| 2.74 | 2.94 | 2.94 | 3.14 | 3.33 | 3.72 | 4.12 |
| 3.17 | 3.03 | 2.66 | 2.65 | 2.60 | 2.67 | 2.70 |
| 2.73 | 2.93 | 2.93 | 3.12 | 3.32 | 3.71 | 4.10 |
| 3.16 | 3.02 | 2.66 | 2.63 | 2.59 | 2.67 | 2.69 |
| 2.69 | 2.88 | 2.88 | 3.07 | 3.27 | 3.65 | 4.03 |
| 3.11 | 2.97 | 2.61 | 2.59 | 2.55 | 2.62 | 2.64 |
| 2.68 | 2.87 | 2.87 | 3.06 | 3.25 | 3.63 | 4.01 |
| 3.10 | 2.96 | 2.60 | 2.58 | 2.54 | 2.61 | 2.63 |
| 2.66 | 2.85 | 2.85 | 3.04 | 3.23 | 3.61 | 3.99 |
| 3.08 | 2.94 | 2.58 | 2.56 | 2.52 | 2.59 | 2.62 |
| 2.66 | 2.85 | 2.85 | 3.04 | 3.23 | 3.61 | 3.99 |
| 3.08 | 2.94 | 2.58 | 2.56 | 2.52 | 2.59 | 2.62 |
| 2.64 | 2.82 | 2.82 | 3.01 | 3.20 | 3.58 | 3.95 |
| 3.05 | 2.91 | 2.56 | 2.54 | 2.50 | 2.57 | 2.59 |
| 2.63 | 2.82 | 2.82 | 3.01 | 3.20 | 3.58 | 3.95 |
| 3.04 | 2.91 | 2.56 | 2.54 | 2.50 | 2.57 | 2.59 |
| 2.62 | 2.81 | 2.81 | 3.00 | 3.18 | 3.56 | 3.93 |
| 3.03 | 2.90 | 2.55 | 2.53 | 2.48 | 2.56 | 2.58 |
| 2.61 | 2.79 | 2.79 | 2.98 | 3.17 | 3.54 | 3.91 |
| 3.02 | 2.88 | 2.53 | 2.51 | 2.48 | 2.54 | 2.57 |
| 2.59 | 2.78 | 2.78 | 2.96 | 3.15 | 3.52 | 3.89 |
| 2.99 | 2.87 | 2.52 | 2.50 | 2.46 | 2.53 | 2.55 |
| 2.59 | 2.78 | 2.78 | 2.96 | 3.15 | 3.52 | 3.89 |
| 2.99 | 2.87 | 2.52 | 2.50 | 2.46 | 2.53 | 2.55 |
| 2.55 | 2.74 | 2.74 | 2.92 | 3.10 | 3.47 | 3.83 |
| 2.95 | 2.83 | 2.48 | 2.46 | 2.42 | 2.49 | 2.51 |
| 2.54 | 2.72 | 2.72 | 2.90 | 3.09 | 3.45 | 3.81 |
| 2.94 | 2.80 | 2.46 | 2. | 2.41 | 2.48 | 2.50 |
| 2.54 | 2.72 | 2.72 | 2. | 3.08 | 3.44 | 3.81 |
| 2.94 | 2.80 | 2.46 | 2.45 | 2.41 | 2.47 | 2.50 |
| 2.53 | 2.71 | 2.71 | 2.89 | 3.07 | 3.43 | 3.79 |
| 2.93 | 2.79 | 2.46 | 2.44 | 2.40 | 2.47 | 2.49 |

Weight of corrugated sheets per square
or 100 square feet (pounds)

| Gauge number | Black | | | Galvanized | | |
|-----------------|------------------------|-------------------------|-------------------------|------------------------|-------------------------|-------------------------|
| | 3 inch corrugations | 2½ inch corrugations | 1¾ inch corrugations | 3 inch corrugations | 2½ inch corrugations | 1¾ inch corrugations |
| 20 | 166 | 167 | 170 | 183 | 184 | 187 |
| 21 | 152 | 153 | 156 | 170 | 170 | 173 |
| 22 | 138 | 139 | 142 | 156 | 156 | 159 |
| 23 | 125 | 125 | 127 | 142 | 142 | 145 |
| 24 | 111 | 111 | 113 | 128 | 128 | 131 |
| 25 | 97 | 97 | 99 | 114 | 115 | 117 |
| 26 | 83 | 83 | 85 | 100 | 101 | 103 |
| 27 | 76 | 76 | 78 | 93 | 94 | 96 |
| 28 | 69 | 69 | 71 | 86 | 87 | 88 |

If material is to be painted, add to above
weights 2 pounds per square for paint.

Corrugated sheets, galvanized and black,
plain and painted.

3 inch corrugations

2½ inch corrugations

1¾ inch corrugations

Number of corrugated sheets, in one square (100 square feet)

| Length of sheet (inches) | 3 inch corrugations Width (flat) 31 inches Width (after corrugating) 28 inches Covering width (allowing for laps) 24 inches | | | 2½ inch corrugations Width (flat) 30 inches Width (after corrugating) 27 inches Covering width (allowing for laps) 24 inches | | | 1¼ inch corrugations Width (flat) 30 inches Width (after corrugating) 26 inches Covering width (allowing for laps) 24½ inches | | |
|-----------------------------|--|--|--|---|--|--|--|--|--|
| | | | | | | | | | |
| 60 | 8.572 | | | 8.888 | | | 9.231 | | |
| 72 | 7.143 | | | 7.407 | | | 7.692 | | |
| 84 | 6.122 | | | 6.349 | | | 6.593 | | |
| 96 | 5.357 | | | 5.555 | | | 5.769 | | |
| 108 | 4.762 | | | 4.938 | | | 5.128 | | |
| 120 | 4.286 | | | 4.444 | | | 4.616 | | |




TABLE OF WEIGHTS (without bands) Apollo Best Bloom Galvanized Iron

| Gauges | | | 10 | | | 11 | | | 12 | | | 13 | | | 14 | | | 15 | | | 16 | | |
|---------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|
| Size of Sheet | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle |
| 24 x 72 | 69.37 | 139 | 2 | 61.87 | 186 | 3 | 54.37 | 163 | 3 | 46.87 | 141 | 3 | 39.37 | 157 | 4 | 35.62 | 142 | 4 | 31.87 | 159 | 5 | 31.87 | 159 |
| 26 x 72 | 75.16 | 150 | 2 | 67.03 | 134 | 2 | 58.91 | 177 | 3 | 50.78 | 152 | 3 | 42.66 | 171 | 4 | 38.59 | 154 | 4 | 34.53 | 138 | 4 | 34.53 | 138 |
| 28 x 72 | 80.94 | 162 | 2 | 72.19 | 144 | 2 | 63.44 | 127 | 2 | 54.69 | 164 | 3 | 45.94 | 138 | 3 | 41.56 | 166 | 4 | 37.19 | 149 | 4 | 37.19 | 149 |
| 30 x 72 | 86.72 | 173 | 2 | 77.34 | 155 | 2 | 67.97 | 136 | 2 | 58.59 | 176 | 3 | 49.22 | 148 | 3 | 44.53 | 134 | 3 | 39.84 | 159 | 4 | 39.84 | 159 |
| 36 x 72 | 104.06 | 208 | 2 | 92.81 | 186 | 2 | 81.56 | 163 | 2 | 70.31 | 141 | 2 | 59.06 | 177 | 3 | 53.44 | 160 | 3 | 47.81 | 143 | 3 | 47.81 | 143 |
| 24 x 84 | 80.94 | 162 | 2 | 72.19 | 144 | 2 | 63.44 | 127 | 2 | 54.69 | 164 | 3 | 45.94 | 138 | 3 | 41.56 | 166 | 4 | 37.19 | 149 | 4 | 37.19 | 149 |
| 26 x 84 | 87.64 | 175 | 2 | 78.17 | 156 | 2 | 68.69 | 137 | 2 | 59.22 | 178 | 3 | 49.74 | 149 | 3 | 45.01 | 135 | 3 | 40.27 | 161 | 4 | 40.27 | 161 |
| 28 x 84 | 94.41 | 189 | 2 | 84.2 | 168 | 2 | 74. | 148 | 2 | 63.79 | 191 | 3 | 53.58 | 161 | 3 | 48.48 | 145 | 3 | 43.38 | 174 | 4 | 43.38 | 174 |
| 30 x 84 | 101.17 | 202 | 2 | 90.23 | 180 | 2 | 79.3 | 159 | 2 | 68.36 | 137 | 2 | 57.42 | 172 | 3 | 51.95 | 156 | 3 | 46.48 | 139 | 3 | 46.48 | 139 |
| 36 x 84 | 121.41 | 121 | 1 | 108.28 | 217 | 2 | 95.16 | 190 | 2 | 82.03 | 164 | 2 | 68.91 | 138 | 2 | 62.34 | 125 | 2 | 55.78 | 167 | 3 | 55.78 | 167 |
| 24 x 96 | 92.5 | 185 | 2 | 82.5 | 165 | 2 | 72.5 | 145 | 2 | 62.5 | 125 | 2 | 52.5 | 157 | 3 | 47.5 | 142 | 3 | 42.5 | 170 | 4 | 42.5 | 170 |
| 26 x 96 | 100.19 | 200 | 2 | 89.36 | 179 | 2 | 78.53 | 157 | 2 | 67.7 | 135 | 2 | 56.86 | 171 | 3 | 51.45 | 154 | 3 | 46.03 | 138 | 3 | 46.03 | 138 |
| 28 x 96 | 107.88 | 216 | 2 | 96.22 | 192 | 2 | 84.55 | 169 | 2 | 72.89 | 146 | 2 | 61.23 | 184 | 3 | 55.4 | 166 | 3 | 49.57 | 149 | 3 | 49.57 | 149 |
| 30 x 96 | 115.62 | 231 | 2 | 103.12 | 206 | 2 | 90.62 | 181 | 2 | 78.12 | 156 | 2 | 65.62 | 131 | 2 | 59.37 | 178 | 3 | 53.12 | 159 | 3 | 53.12 | 159 |
| 36 x 96 | 138.75 | 139 | 1 | 123.75 | 124 | 1 | 108.75 | 109 | 1 | 93.75 | 187 | 2 | 78.75 | 157 | 2 | 71.25 | 142 | 2 | 63.75 | 127 | 2 | 63.75 | 127 |
| 24 x 120 | 115.62 | 231 | 2 | 103.12 | 206 | 2 | 90.62 | 181 | 2 | 78.12 | 156 | 2 | 65.62 | 131 | 2 | 59.37 | 178 | 3 | 53.12 | 159 | 3 | 53.12 | 159 |
| 26 x 120 | 125.22 | 125 | 1 | 111.68 | 112 | 1 | 98.15 | 196 | 2 | 84.61 | 169 | 2 | 71.07 | 142 | 2 | 64.3 | 129 | 2 | 57.53 | 173 | 3 | 57.53 | 173 |
| 28 x 120 | 134.88 | 135 | 1 | 120.3 | 120 | 1 | 105.71 | 211 | 2 | 91.13 | 182 | 2 | 76.55 | 153 | 2 | 69.26 | 139 | 2 | 61.97 | 186 | 3 | 61.97 | 186 |
| 30 x 120 | 144.53 | 145 | 1 | 128.91 | 129 | 1 | 113.28 | 113 | 1 | 97.66 | 195 | 2 | 82.03 | 164 | 2 | 74.22 | 148 | 2 | 66.41 | 133 | 2 | 66.41 | 133 |
| 36 x 120 | 173.44 | 173 | 1 | 154.69 | 155 | 1 | 135.94 | 136 | 1 | 117.19 | 117 | 1 | 98.44 | 197 | 2 | 89.06 | 178 | 2 | 79.69 | 159 | 2 | 79.69 | 159 |

TABLE OF WEIGHTS (without bands) Apollo Best Bloom Galvanized Iron


| Gauges | | | 17 | | | 18 | | | 19 | | | 20 | | | 21 | | | 22 | | | 23 | | |
|----------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|
| Size | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle |
| 24 x 72 | 28.87 | 144 | 5 | 25.87 | 155 | 6 | 22.87 | 160 | 7 | 19.87 | 159 | 8 | 18.37 | 147 | 8 | 16.87 | 152 | 9 | 15.37 | 154 | 10 | 13.87 | 149 |
| 26 x 72 | 31.28 | 156 | 5 | 28.03 | 140 | 5 | 24.78 | 149 | 6 | 21.53 | 151 | 7 | 19.91 | 159 | 8 | 18.28 | 146 | 8 | 16.66 | 150 | 9 | 15.03 | 144 |
| 28 x 72 | 33.69 | 168 | 5 | 30.19 | 151 | 5 | 26.69 | 160 | 6 | 23.19 | 162 | 7 | 21.44 | 150 | 7 | 19.69 | 158 | 8 | 17.94 | 144 | 8 | 16.28 | 138 |
| 30 x 72 | 36.09 | 144 | 4 | 32.34 | 162 | 5 | 28.59 | 143 | 5 | 24.84 | 149 | 6 | 22.97 | 161 | 7 | 21.09 | 148 | 7 | 19.22 | 154 | 8 | 17.56 | 148 |
| 36 x 72 | 43.31 | 173 | 4 | 38.81 | 155 | 4 | 34.31 | 137 | 4 | 29.81 | 149 | 5 | 27.56 | 165 | 6 | 25.31 | 152 | 6 | 23.06 | 161 | 7 | 20.81 | 155 |
| 24 x 84 | 33.69 | 168 | 5 | 30.19 | 151 | 5 | 26.69 | 160 | 6 | 23.19 | 162 | 7 | 21.44 | 150 | 7 | 19.69 | 158 | 8 | 17.94 | 144 | 8 | 16.28 | 138 |
| 26 x 84 | 36.48 | 146 | 4 | 32.69 | 163 | 5 | 28.9 | 144 | 5 | 25.11 | 151 | 6 | 23.21 | 162 | 7 | 21.32 | 149 | 7 | 19.42 | 155 | 8 | 17.67 | 149 |
| 28 x 84 | 39.29 | 157 | 4 | 35.21 | 141 | 4 | 31.13 | 156 | 5 | 27.05 | 135 | 5 | 25.01 | 150 | 6 | 22.96 | 161 | 7 | 20.92 | 146 | 7 | 19.17 | 140 |
| 30 x 84 | 42.11 | 168 | 4 | 37.73 | 151 | 4 | 33.36 | 167 | 5 | 28.98 | 145 | 5 | 26.8 | 161 | 6 | 24.61 | 148 | 6 | 22.42 | 157 | 7 | 20.17 | 134 |
| 36 x 84 | 50.53 | 152 | 3 | 45.28 | 136 | 3 | 40.03 | 160 | 4 | 34.78 | 139 | 4 | 32.16 | 161 | 5 | 29.53 | 148 | 5 | 26.91 | 161 | 6 | 24.16 | 155 |
| 24 x 96 | 38.5 | 154 | 4 | 34.5 | 138 | 4 | 30.5 | 152 | 5 | 26.5 | 159 | 6 | 24.5 | 147 | 6 | 22.5 | 157 | 7 | 20.5 | 143 | 7 | 18.75 | 137 |
| 26 x 96 | 41.7 | 167 | 4 | 37.37 | 149 | 4 | 33.04 | 165 | 5 | 28.7 | 143 | 5 | 26.54 | 159 | 6 | 24.37 | 146 | 6 | 22.2 | 155 | 7 | 20.45 | 149 |
| 28 x 96 | 44.9 | 180 | 4 | 40.24 | 161 | 4 | 35.57 | 142 | 4 | 30.91 | 155 | 5 | 28.57 | 143 | 5 | 26.24 | 157 | 6 | 23.91 | 143 | 6 | 22.15 | 137 |
| 30 x 96 | 48.12 | 144 | 3 | 43.12 | 129 | 3 | 38.12 | 152 | 4 | 33.12 | 166 | 5 | 30.62 | 153 | 5 | 28.12 | 141 | 5 | 25.62 | 154 | 6 | 23.87 | 148 |
| 36 x 96 | 57.75 | 173 | 3 | 51.75 | 155 | 3 | 45.75 | 137 | 3 | 39.75 | 159 | 4 | 36.75 | 147 | 4 | 33.75 | 169 | 5 | 30.75 | 154 | 5 | 28.99 | 148 |
| 24 x 120 | 48.12 | 144 | 3 | 43.12 | 129 | 3 | 38.12 | 152 | 4 | 33.12 | 166 | 5 | 30.62 | 153 | 5 | 28.12 | 141 | 5 | 25.62 | 154 | 6 | 23.87 | 148 |
| 26 x 120 | 52.12 | 156 | 3 | 46.7 | 140 | 3 | 41.29 | 165 | 4 | 35.87 | 143 | 4 | 33.17 | 166 | 5 | 30.46 | 152 | 5 | 27.75 | 166 | 6 | 25.99 | 160 |
| 28 x 120 | 56.14 | 168 | 3 | 50.31 | 151 | 3 | 44.47 | 133 | 3 | 38.64 | 155 | 4 | 35.72 | 143 | 4 | 32.81 | 164 | 5 | 29.89 | 149 | 5 | 28.12 | 142 |
| 30 x 120 | 60.16 | 180 | 3 | 53.91 | 162 | 3 | 47.66 | 143 | 3 | 41.41 | 166 | 4 | 38.28 | 153 | 4 | 35.16 | 141 | 4 | 32.03 | 160 | 5 | 30.28 | 154 |
| 36 x 120 | 72.19 | 144 | 2 | 64.69 | 129 | 2 | 57.19 | 172 | 3 | 49.69 | 149 | 3 | 45.94 | 138 | 3 | 42.19 | 169 | 4 | 38.44 | 154 | 5 | 35.19 | 148 |

TABLE OF WEIGHTS (without bands) Apollo Best Bloom Galvanized Iron


| Gauges 24 | | | | 25 | | | | 26 | | | | 27 | | | | 28 | | | | 29 | | | | 30 | | | | Square Feet per Sheet |
|---------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------|------------------|------------------|-----------------------|
| Size of Sheet | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | Weight of Sheet | Weight of Bundle | Number of Sheets | |
| 24 X 72 | 13.87 | 153 | 11 | 12.37 | 148 | 12 | 10.87 | 152 | 14 | 10.12 | 152 | 15 | 9.37 | 150 | 16 | 8.62 | 147 | 17 | 7.87 | 150 | 19 | 7.87 | 150 | 19 | 7.87 | 150 | 19 | 12. |
| 26 X 72 | 15.03 | 150 | 10 | 13.41 | 148 | 11 | 11.78 | 153 | 13 | 10.97 | 154 | 14 | 10.16 | 152 | 15 | 9.34 | 149 | 16 | 8.53 | 145 | 17 | 8.53 | 145 | 17 | 8.53 | 145 | 17 | 13. |
| 28 X 72 | 16.19 | 146 | 9 | 14.44 | 159 | 11 | 12.69 | 152 | 12 | 11.81 | 154 | 13 | 10.94 | 153 | 14 | 10.06 | 151 | 15 | 9.19 | 147 | 16 | 9.19 | 147 | 16 | 9.19 | 147 | 16 | 14. |
| 30 X 72 | 17.34 | 156 | 9 | 15.47 | 155 | 10 | 13.59 | 149 | 11 | 12.66 | 152 | 12 | 11.72 | 152 | 13 | 10.78 | 162 | 15 | 9.84 | 148 | 15 | 9.84 | 148 | 15 | 9.84 | 148 | 15 | 15. |
| 36 X 72 | 20.81 | 146 | 7 | 18.56 | 148 | 8 | 16.31 | 147 | 9 | 15.19 | 152 | 10 | 14.06 | 155 | 11 | 12.94 | 155 | 12 | 11.81 | 154 | 13 | 11.81 | 154 | 13 | 11.81 | 154 | 13 | 18. |
| 24 X 84 | 16.19 | 146 | 9 | 14.44 | 159 | 11 | 12.69 | 152 | 12 | 11.81 | 154 | 13 | 10.94 | 153 | 14 | 10.06 | 151 | 15 | 9.19 | 147 | 16 | 9.19 | 147 | 16 | 9.19 | 147 | 16 | 14. |
| 26 X 84 | 17.53 | 140 | 8 | 15.63 | 156 | 10 | 13.74 | 151 | 11 | 12.79 | 153 | 12 | 11.84 | 154 | 13 | 10.9 | 153 | 14 | 9.95 | 149 | 15 | 9.95 | 149 | 15 | 9.95 | 149 | 15 | 15.16 |
| 28 X 84 | 18.88 | 151 | 8 | 16.84 | 152 | 9 | 14.8 | 148 | 10 | 13.78 | 152 | 11 | 12.76 | 153 | 12 | 11.74 | 153 | 13 | 10.72 | 150 | 14 | 10.72 | 150 | 14 | 10.72 | 150 | 14 | 16.33 |
| 30 X 84 | 20.23 | 142 | 7 | 18.05 | 144 | 8 | 15.86 | 159 | 10 | 14.77 | 148 | 10 | 13.67 | 150 | 11 | 12.58 | 151 | 12 | 11.48 | 149 | 13 | 11.48 | 149 | 13 | 11.48 | 149 | 13 | 17.5 |
| 36 X 84 | 24.28 | 146 | 6 | 21.66 | 152 | 7 | 19.03 | 152 | 8 | 17.72 | 159 | 9 | 16.41 | 148 | 9 | 15.09 | 151 | 10 | 13.78 | 152 | 11 | 13.78 | 152 | 11 | 13.78 | 152 | 11 | 21. |
| 24 X 96 | 18.5 | 148 | 8 | 16.5 | 148 | 9 | 14.5 | 145 | 10 | 13.5 | 148 | 11 | 12.5 | 150 | 12 | 11.5 | 149 | 13 | 10.5 | 157 | 15 | 10.5 | 157 | 15 | 10.5 | 157 | 15 | 16. |
| 26 X 96 | 20.04 | 160 | 8 | 17.87 | 143 | 8 | 15.71 | 157 | 10 | 14.62 | 146 | 10 | 13.54 | 149 | 11 | 12.46 | 150 | 12 | 11.37 | 148 | 13 | 11.37 | 148 | 13 | 11.37 | 148 | 13 | 17.33 |
| 28 X 96 | 21.58 | 151 | 7 | 19.24 | 154 | 8 | 16.91 | 152 | 9 | 15.74 | 157 | 10 | 14.58 | 146 | 10 | 13.41 | 148 | 11 | 12.25 | 147 | 12 | 12.25 | 147 | 12 | 12.25 | 147 | 12 | 18.66 |
| 30 X 96 | 23.12 | 162 | 7 | 20.62 | 144 | 7 | 18.12 | 145 | 8 | 16.87 | 152 | 9 | 15.62 | 156 | 10 | 14.37 | 144 | 10 | 13.12 | 144 | 11 | 13.12 | 144 | 11 | 13.12 | 144 | 11 | 20. |
| 36 X 96 | 27.75 | 166 | 6 | 24.75 | 148 | 6 | 21.75 | 152 | 7 | 20.25 | 162 | 8 | 18.75 | 150 | 8 | 17.25 | 155 | 9 | 15.75 | 157 | 10 | 15.75 | 157 | 10 | 15.75 | 157 | 10 | 24. |
| 24 X 120 | 23.12 | 162 | 7 | 20.62 | 144 | 7 | 18.12 | 145 | 8 | 16.87 | 152 | 9 | 15.62 | 156 | 10 | 14.37 | 144 | 10 | 13.12 | 144 | 11 | 13.12 | 144 | 11 | 13.12 | 144 | 11 | 20. |
| 26 X 120 | 25.04 | 150 | 6 | 22.34 | 156 | 7 | 19.63 | 157 | 8 | 18.28 | 146 | 8 | 16.92 | 152 | 9 | 15.57 | 156 | 10 | 14.21 | 156 | 11 | 14.21 | 156 | 11 | 14.21 | 156 | 11 | 21.66 |
| 28 X 120 | 26.98 | 162 | 6 | 24.06 | 144 | 6 | 21.14 | 148 | 7 | 19.68 | 157 | 8 | 18.23 | 146 | 8 | 16.77 | 151 | 9 | 15.31 | 153 | 10 | 15.31 | 153 | 10 | 15.31 | 153 | 10 | 23.33 |
| 30 X 120 | 28.91 | 145 | 5 | 25.78 | 155 | 6 | 22.66 | 159 | 7 | 21.09 | 148 | 7 | 19.53 | 156 | 8 | 17.97 | 162 | 9 | 16.41 | 148 | 9 | 16.41 | 148 | 9 | 16.41 | 148 | 9 | 25. |
| 36 X 120 | 34.69 | 173 | 5 | 30.94 | 155 | 5 | 27.19 | 163 | 6 | 25.31 | 152 | 6 | 23.44 | 164 | 7 | 21.56 | 151 | 7 | 19.69 | 158 | 8 | 19.69 | 158 | 8 | 19.69 | 158 | 8 | 30. |







LIBRARY OF CONGRESS



0 003 131 389 2

